

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – Allegations of irregularities committed in execution of works “providing CC Road from Poornananda Swamy Ashram Gosala to Akkanna Centre at sunnipenta “, Srisailam Mandal, Kurnool Dist. – Disciplinary action against Sri G. Surendranath, I/c Executive Engineer- case entrusted to Commissioner of Inquiries – Inquiry Report furnished – Further Action dropped – Orders – Issued.

=====

PANCHAYATI RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O. Rt. No. 380

Dated 06 March, 2012.
Read the following:

1. From the Engineer - in - Chief, Panchayati Raj, Hyderabad letter No. Vig.II(2)/41352/05, Dated 4.4.2006.
2. Govt. Memo. No. 6887/Vig.II/A1/2006-1, Dated 29.5.2006.
3. From Sri G. Surendranath, Executive Engineer, Written Statement of Defence, Dated 10.7.2006.
4. G.O. Rt. No. 603, Panchayati Raj and Rural Development (Vig.II) Department, Dated 24.04.2007.
5. G.O.Rt. No. 1850, Panchayati Raj and Rural Development (Vig.II) Department, Dated 4.12.2010.
6. From the Commissioner of Inquiries D.O. Letter No. 21/COI-SB/A2/2011, Dated 22.07.2011.

* * * * *

ORDER:

Based on the proposal of Engineer - in - Chief, Panchayati Raj in the reference 1st read above, Article of Charges have been framed against Sri G. Surendranath, I/c Executive Engineer, for the irregularities committed in execution of works “providing CC Road from Poornananda Swamy Ashram Gosala to Akkanna Centre at sunnipenta “, Srisailam Mandal, Kurnool Dist. Vide reference 2nd read above. The Charged officer has submitted his Written Statement of Defence vide reference 3rd read above.

2. Not satisfying with the Written Statement of Defence, the case was entrusted to Commissioner of Inquiries vide reference 4th read above to conduct inquiry under Rule 20 (2) of APCS (CCA) Rules, 1991. Subsequently, the case was re-assigned to Dr. Subrendu Bhattacharya, IAS, Commissioner of Inquiries to conduct the Inquiry from where it was left over vide reference 5th read above.

3. The Inquiry Officer has furnished his report holding the charges against the Charged Officer i.e Sri G. Surendranath, Executive Engineer for the irregularities committed in execution of works “providing CC Road from Poornananda Swamy Ashram Gosala to Akkanna Centre at sunnipenta “, Srisailam Mandal, Kurnool District have not proved vide reference 6th read above.

4. Government, after careful consideration of the Inquiry Report, have decided to drop further action against Sri G. Surendranath, Executive Engineer and accordingly drop further action against the charged officer Sri G. Surendranath, Executive Engineer.

5. The Engineer-in-Chief, Panchayati Raj, Errum Manzil, Hyderabad shall take necessary action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To
The individual
Through To
The Engineer in Chief, Panchayati Raj,
Errum Manzil, Hyderabad.
The Engineer in Chief, Panchayati Raj,
Errum Manzil, Hyderabad.
Copy to:
The Secretary to VC, APVC, Hyderabad.
SF / SC

// FORWARDED BY ORDER //

SECTION OFFICER